II. Administration

E. Risk Management

Narragansett 5. School System
School Based Public Access Defibrillation Program (AED)

Formatted: Top: 0.92", Bottom: 0.25", Section start: Continuous, Header distance from edge: 0.75", Footer distance from edge: 0.69"

Formatted: Font: Not Bold
Formatted: Font: Not Bold

Policy and Procedures

Introduction

Each year approximately 250,000 people die from sudden cardiac arrest (SCA). The chance of survival decreases an estimated 10% each minute without defibrillation even when prompt bystander Cardiopulmonary Resuscitation (CPR) is initiated. Use of an Automated External Defibrillator (AED) is intended to maximize the chance of survival based upon the steps taken during the critical minutes before emergency medical services (EMS) providers arrive and assume responsibility for the care of the patient. The following policy and procedures are designed to direct trained responders in the Narragansett School System to deliver early defibrillation to victims of sudden cardiac arrest.

Purpose

The purpose of this policy is to define and establish standard operating guidelines that are required by the Rhode Island Department of Public Health, in order for the Narragansett School System to acquire, maintain and utilize Automatic External Defibrillators (AED). The policy is intended to greatly increase the chance of survival of a sudden cardiac arrest prior to the arrival of the local EMS. This policy does not create an obligation to use the AED's nor to create an expectation that either an AED or trained employee will be present at every event. This policy will identify the AED program Medical Director, the Program Coordinator, EMS Coordinator, Site Leaders, and the School Physician.

Individuals Responsible for the Narragansett Public Schools AED Program

AED program Medical Director
County Hospital)

Program Coordinator

Director of Business Operations TBD

Site Leader(s)

Building School Nurse Teachers/
Building Principals/Athletic Directors

School Physician Dr. Robert Maltz (consultant role only)

Consultant

Responsibilities

AED program Medical Director will:

- Oversee all medical aspects of the program
- Ensures compliance with appropriate regulatory requirements
- Ensure Ensure proper skills training and maintenance for AED responders
- Establish and review procedures for AED use
- Establish a quality review and improvement program, including post_drill and post debriefing
- Establish and maintain a relationship with local EMS

Program Coordinator will:

- Coordinate and document and maintain records of initial AED training, annual
 refresher and biennial retraining, and any additional training on an ad-hoc basis to
 designated AED trained staff
- Assist with the development and implementation of AED program
- Act as liaison among the AED program participants
- Coordinate and <u>overseeoversees</u> non-medical aspects of the program <u>such as</u> arranging for equipment maintenance
- Coordinate documentation (relating to training, maintenance, and use, and post incident data collection
- · Coordinate training of AED certified staff
- Maintain master list of all AED certified staff and training records
- Act as a resource to the <u>AED program Medical Director and Site Leaders Program Coordinator</u>

Site Leaders will:

- Be responsible for maintaining building level lists of the Building Medical Response Team
- Be responsible for the day-to-day accountability offer the AED program during the contracted school year
- In the case of the Athletic Department the Athletic Directors will be responsible for the dissemination and monitoring of the AED's under his/her care as well as monitoring the certification of all coaches
- Check AED equipment and accessories (by site leader/or designee) and report problems to the Program Coordinator
- Check AED equipment and accessories (by site leader/or designee)
- Maintain a list of and documentation of training for all AED responders at the site
- Coordinate and document site-specific drills and refresher training
- Maintain documentation regarding use of AED's
- Notify the Programprogram Coordinator if a unit is out of service
- Retains copy of usage report for documentation
- Responsible for Immediate post-incident debriefing

Training

Training - Annual training and re-certification in Basic Life Support (BLS) according to currently accepted guidelines as provided by either the American Heart Association or

Formatted: Underline

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Tab after: 0.5" + Indent at: 0.5", Tab stops: 0.5", Left + 1", Left + 1.5", Left

the American Red Cross will be offered for all School Nurse Teachers, Building Medical Response Team Members, and Narragansett School System school personnel.

All School Nurse/Teachers are required to maintain annual CPR/AED certification by either the American Heart Association or the American Red Cross. All School Nurse/Teachers are required to maintain annual certification by the American Heart Association: BLS for Healthcare Providers.

All Building Medical Response Team Members are required to have current documentation of successful completion of a course of basic life support (BLS) that includes cardiopulmonary resuscitation and the use of AED's according to standards and guidelines of the American Heart Association.

The Site Leaders will be responsible for coordination and documenting initial AED training and annual refresher and biennial training for Building Medical Response Team Members/AED responders.

All coaches must be CPR/AED trained as a condition of employment.

All employees, including coaches, of the Narragansett Public Schools will be offered the opportunity to receive CPR/AED training. All students as part of the Narragansett School System Comprehensive School Health Curriculum will receive CPR/AED training using an American Heart Association or American Red Cross program.

On site drills will be conducted at least once during the school calendar year. Drills will include a review of site-specific emergency communication and response plans, as well as, use of specific AED devices. The on-site training will be coordinated and documented by the School Nurse/Teacher, with the assistance of the EMS liaison.

Location

The <u>initial</u> location of the AED's will be determined with the cooperation of the American Heart Association, the <u>AED program</u> Medical Director, the AED manufacturer, and the School Nurse/Teachers.

Maintenance

Maintenance of the AED's shall be the responsibility of the Narragansett School Department. See the AED manufacturer's Operating Instructions manual for detailed maintenance information and instructions. The School Nurse/Teacher and/or designee responsible for the AED will perform and document, during the school year, as follows:

Daily and after each use:

- Check readiness display and confirm no battery indicator or service indicator displayed
- Visually inspect the AED: Proper location, clean, no tampering

Weekly and after each use:

- Inspect AED case, connectors, and battery according to the Operator's Checklist
- · Check station against inventory, and restock as needed

After each use:

- Inspect exterior for dirt and contamination, clean if needed (see Operating Instructions)
- Complete AED incident report

If the unit needs immediate service or supplies, remove from service and notify the Program Leader immediately. If the unit is still operational but requires service or supplies will expire soon, the School Nurse/Teacher should also-notify the Program Leader immediately.

Use of AED

Emergency Action Instructions: AED's are located in various, approved locations around each school building. Each School Nurse/Teacher and building principal should review the locations will all staff members at the beginning of each school year during orientation.

When the Health Office and/or Main Office receives a call with a Medical Emergency they will take the procedures as outlined in the Narragansett School System's Standing Orders will be utilized.

Approved emergency following action instructions will be included within each AED box and will be reviewed annually by the School Nurse Teachers, building administrators and all staff members at the start of each school year during orientation.

• Evaluation of incident response/review of protocols will take place annually and after any use of the AED. Ask the caller the nature of the emergency.

A written report of any incident will be provided to the School Medical Director and the AED medical Director.

- Record the specific location of the event. Be precise so that the response of the rescuers is not delayed. This should include room number, or area of the school.
- The School Nurse/Teacher or other AED trained responder will be summoned immediately and report to the site with the nearest available AED unit. When the AED is taken from its container, the Narragansett Fire Department will be summoned for a responding unit to be sent to the school.
- The Main Office will immediately copy the student/staff emergency card to be given to the responding EMT team.
- The principal or assistant principal will be notified immediately and direct the EMS to the scene.

Formatted: Keep with next, Keep lines together, Tab stops: 0.5", Left + 1", Left + 1.5", Left

Formatted: Font: 9 pt

Formatted: No bullets or numbering, Tab stops: 0.5", Left + 1", Left + 1.5", Left

 Document the event and time on the School Nurse/Teacher's daily log. Send ar incident report to the superintendent's office.

Upon arrival at the scene the School Nurse/Teacher/AED Responder will:

- Access responsiveness
- Check ABC's (Airway, Breathing, Circulation)
- If no breathing, provide rescue breathing
- If no circulation, perform CPR and prepare for defibrillation

NOTE: DO NOT USE AED ON A <u>VICTIM VICTUM-</u>LESS THAN 8 <u>Y</u>EARS OLD OR 55 <u>POUNDS. LBS. REMOVE VICTIM FROM CONTACT WITH WATER AND DRY CHEST.</u>

DO NOT START CPR or INITIATE DEFIBRILLATION if:

Person has a pulse

- o There is a valid **Do Not Resuscitate order** (DNR)
- on the person in compliance with Rhode Department of Public Health/DNR protocols
- Power on AED
- Attach AED electrodes to victims bare chest
- Allow AED to analyze
 - clear victim during analysis
- If advised to shock
 - clear victim
 - press shock button
- Continue to follow AED prompts until EMS services arrives
- If defibrillation is unsuccessful, the School Nurse/Teacher AED responder shall continue 5 minutes of CPR, then follow same steps above

Early Advanced Care

- EMS takes charge of victim upon arrival
- Provide victim information to EMS: name, age, known medical problems (or copy of emergency card), details of incident, victim condition and aid provided (including number of shocks administered)
- When EMS arrives, the defibrillator pads/electrodes shall remain in place on the victim and the defibrillator will remain at the school where information regarding the cardiac event will be downloaded by the School Nurse/Teacher or EMS.

Formatted: Underline

Formatted: Font: 9 pt

Post Evaluation

- School Nurse/Teacher notifies the Program Coordinator, who notifies the <u>AED</u> program Medical Director
- School Nurse/Teacher completes incident report and forwards copy to the Program Coordinator. The Program Leader will retain one copy of the report and forward one copy to the AED program Medical Director and Central Office
- Before AED is entered back into service, the School Nurse/Teacher will inspect, clean, if needed, and re-stock AED station (according to maintenance procedure)
- As appropriate, the <u>AED program</u> Medical Director/ EMS will conduct a post incident review (including quality improvement) and debrief program staff and those involved in the incident.

Each principal, in accordance with this policy, will cause a brief synopsis of this policy and the disciplinary actions that will be taken in each school for the misuse, compromising of equipment, false alarms caused by tampering with the cases, or in general mistreatment of the AED equipment, to be placed in each school's respective handbook.

1st Reading: February 15, 2006 Adopted: March 15, 2006 Narragansett School System Formatted: Footer, Tab stops: 0.5", Left + 1", Left + 1.5", Narragansett, Rhode Islan